



*Pipes for sewerage systems - PE 100-RC TT-RC - type 1, TT-RC - type 2, TT-RC - type 3



	Reference documents:	PN-EN 12201-2:2024-04, NATIONAL TECHNICAL ASSESSMENT ITB
	PKWiU [Polish Classification of Products and Services]:	22.21.21.0
	Customs code:	3917 21 10
	Application:	- construction of the sewerage system for consumption and utility purposes - construction of the storm water system - construction of the vacuum sewer system - construction of the sanitary sewerage system - construction of the combined sewer system - drainage of bridges and overpasses - hydro-transport - other purposes
	Material:	PE 100-RC
	Nominal pressure (PN):	PN 16 (SDR 11); PN 10 (SDR 17)
	SN:	SN 80 (SDR 11); SN 20 (SDR 17)
	Colour:	- black or black with brown stripes - external: green, internal: black - both layers external and internal green, black middle layer
	Ø ext. [mm] - coils:	20; 25; 32; 40; 50; 63; 75; 90; 110
	Ø ext. [mm] - bars:	90; 110; 125; 140; 160; 180; 200; 225; 250; 280; 315; 355; 400; 450; 500; 560; 630
	Coil length [m]:	50; 100; 150; 200
	Bar length [m]:	12
	Notes:	* Possibility of producing pipe in a different colour and/or with a different stripe colour * Possibility of producing pipe with a different coil length * Possibility of producing pipe with a different % ratio of individual layers * Possibility of producing three-layer pipes * Possibility of producing pipe with other SDR on request

* product available on request at the minimum production requirement



*Pipes for sewerage systems - PE 100-RC - TT-RC - type 1

Single layer (black with brown stripes)

		SDR-17		SDR-11			
	Ø ext.	wall thick- ness	index	wall thick- ness	index	coil / bar length	bulk packaging
COILS	20			2,0	11500	200	2 800
	25			2,3	11501	200	1 200
	32	2,0	11484	3,0	11502	200	1 400
	40	2,4	11485	3,7	11503	150	900
	50	3,0	11486	4,6	11504	100	100
	63	3,8	11487	5,8	11505	100	100
	75	4,5	11488	6,8	11506	100	100
	90	5,4	11489	8,2	11507	50	50
	110	6,6	11490	10,0	11508	50	50
BARS	90	5,4	11491	8,2	11509	12	32/384
	110	6,6	11492	10,0	11510	12	26/312
	125	7,4	11493	11,4	11511	12	38/456
	140	8,3	11494	12,7	11512	12	38/456
	160	9,5	11495	14,6	11513	12	20/240
	180	10,7	11496	16,4	11514	12	17/204
	200	11,9	11497	18,2	11515	12	14/168
	225	13,4	11498	20,5	11516	12	11/132
	250	14,8	11499	22,7	11517	12	11/132
	280	16,6	12176	25,4	12184	12	4/48
	315	18,7	12177	28,6	12185	12	3/36
	355	21,1	12178	32,2	12186	12	3/36
	400	23,7	12179	36,3	12187	12	3/36
	450	26,7	12180	40,9	12188	12	2/24
	500	29,7	12181	45,4	12189	12	2/24
	560	33,2	12182	50,8	12190	12	2/24
	630	37,4	12183	57,2	12191	12	2/24

* product available on request at the minimum production requirement

*Pipes for sewerage systems - PE 100-RC - TT-RC - type 2

Double-layer (external: green, internal: black)

		SDR-17		SDR-11			
	Ø ext.	△ wall thickness	index	△ wall thickness	index	coil / bar length	bulk packaging
COILS	20			2,0	12199	200	2 800
	25			2,3	12200	200	1 200
	32	2,0	12192	3,0	12201	200	1 400
	40	2,4	12193	3,7	12202	150	900
	50	3,0	12194	4,6	12203	100	100
	63	3,8	12195	5,8	12204	100	100
	75	4,5	12196	6,8	12205	100	100
	90	5,4	12197	8,2	12206	50	50
	110	6,6	12198	10,0	12207	50	50
BARS	90	5,4	12208	8,2	12225	12	32/384
	110	6,6	12209	10	12226	12	26/312
	125	7,4	12210	11,4	12227	12	38/456
	140	8,3	12211	12,7	12228	12	38/456
	160	9,5	12212	14,6	12229	12	20/240
	180	10,7	12213	16,4	12230	12	17/204
	200	11,9	12214	18,2	12231	12	14/168
	225	13,4	12215	20,5	12232	12	11/132
	250	14,8	12216	22,7	12233	12	11/132
	280	16,6	12217	25,4	12234	12	4/48
	315	18,7	12218	28,6	12235	12	3/36
	355	21,1	12219	32,2	12236	12	3/36
	400	23,7	12220	36,3	12237	12	3/36
	450	26,7	12221	40,9	12238	12	2/24
	500	29,7	12222	45,4	12239	12	2/24
	560	33,2	12223	50,8	12240	12	2/24
	630	37,4	12224	57,2	12241	12	2/24

* product available on request at the minimum production requirement

*Pipes for sewerage systems - PE 100-RC - TT-RC - type 3

Three-layer (external and internal: green, black middle layer)

		SDR-17		SDR-11			
	Ø ext.	wall thickness	index	wall thickness	index	coil / bar length	bulk packaging
BARS	90	5,4	12242	8,2	12259	12	32/384
	110	6,6	12243	10,0	12260	12	26/312
	125	7,4	12244	11,4	12261	12	38/456
	140	8,3	12245	12,7	12262	12	38/456
	160	9,5	12246	14,6	12263	12	20/240
	180	10,7	12247	16,4	12264	12	17/204
	200	11,9	12248	18,2	12265	12	14/168
	225	13,4	12249	20,5	12266	12	11/132
	250	14,8	12250	22,7	12267	12	11/132
	280	16,6	12251	25,4	12268	12	4/48
	315	18,7	12252	28,6	12269	12	3/36
	355	21,1	12253	32,2	12270	12	3/36
	400	23,7	12254	36,3	12271	12	3/36
	450	26,7	12255	40,9	12272	12	2/24
	500	29,7	12256	45,4	12273	12	2/24
	560	33,2	12257	50,8	12274	12	2/24
	630	37,4	12258	57,2	12275	12	2/24

* product available on request at the minimum production requirement