













Pipes for water supply systems PE 100-RC: TT-RC - type 1, TT-RC - type 2, TT-RC - type 3



	Reference documents:	PN-EN 12201-2+A1:2013-12 HYGIENIC ATTESTATION, NATIONAL TECHNICAL ASSESSMENT ITB
	PKWiU [Polish Classification of Products and Services]:	22.21.21.0
	Customs code:	3917 21 10
	Application:	<ul style="list-style-type: none"> - supply of pressurised water - supply of drinking water - supply of pre-treatment water - supply of water for other purposes - hydro-transport - other purposes
	Material:	PE 100-RC
	Nominal pressure (PN):	PN 10 (SDR 17); PN 16 (SDR 11)
	SN:	SN 20 (SDR 17); SN 80 (SDR 11)
	Colour:	<ul style="list-style-type: none"> - black with blue stripes - external: blue, internal: black - both layers external and internal blue, black middle layer
	Ø ext. [mm] - coils:	20; 25; 32; 40; 50; 63; 75; 90; 110
	Ø ext. [mm] - bars:	90; 110; 125; 140; 160; 180; 200; 225; 250; 280; 315; 355; 400; 450; 500; 560; 630
	Coil length [m]:	50; 100; 150; 200
	Bar length [m]:	12
	Notes:	<ul style="list-style-type: none"> * Possibility of producing pipe in a different colour and/or with a different stripe colour * Possibility of producing pipe with a different length



*Pipes for water supply systems - PE 100-RC - TT-RC - type 1

Single layer (black with blue stripes)

		SDR-17		SDR-11			
	∅ ext.	∇ wall thickness	☒ index	∇ wall thickness	☒ index	coil / bar length	bulk packaging
COILS	20			2,0	11236	200	2 800
	25			2,3	11237	200	1 200
	32	2,0	11254	3,0	11238	200	1 400
	40	2,4	11255	3,7	12128	150	900
	50	3,0	11256	4,6	12129	100	100
	63	3,8	11257	5,8	11241	100	100
	75	4,5	11258	6,8	11242	100	100
	90	5,4	11259	8,2	11243	50	50
	110	6,6	11260	10,0	11244	50	50
BARS	90	5,4	11261	8,2	11245	12	32/384
	110	6,6	11262	10,0	11246	12	26/312
	125	7,4	11263	11,4	11247	12	38/456
	140	8,3	11264	12,7	11248	12	38/456
	160	9,5	11265	14,6	11249	12	20/240
	180	10,7	11266	16,4	11250	12	17/204
	200	11,9	11267	18,2	11251	12	14/168
	225	13,4	11268	20,5	11252	12	11/132
	250	14,8	11269	22,7	11253	12	11/132
	280	16,6	12045	25,4	12053	12	4/48
	315	18,7	12046	28,6	12054	12	3/36
	355	21,1	12047	32,2	12055	12	3/36
	400	23,7	12048	36,3	12056	12	3/36
	450	26,7	12049	40,9	12057	12	2/24
	500	29,7	12050	45,4	12058	12	2/24
	560	33,2	12051	50,8	12059	12	2/24
630	37,4	12052	57,2	12060	12	2/24	

* product available on request at the minimum production requirement

Pipes for water supply systems - PE 100-RC - TT-RC - type 2

Double-layer (external: blue, internal: black)

		SDR-17		SDR-11			
	∅ ext.	∇ wall thickness	☐ index	∇ wall thickness	☐ index	coil / bar length	bulk packaging
COILS	20			2,0	11430	200	2 800
	25			2,3	11431	200	1 200
	32	2,0	11387	3,0	11432	200	1 400
	40	2,4	11591	3,7	11590	150	900
	50	3,0	12130	4,6	12131	100	100
	63	3,8	11390	5,8	11435	100	100
	75	4,5	11391	6,8	11436	100	100
	90	5,4	11392	8,2	11437	50	50
	110	6,6	11393	10,0	11438	50	50
BARS	90	5,4	11403	8,2	11448	12	32/384
	110	6,6	11404	10,0	11449	12	26/312
	125	7,4	11405	11,4	11450	12	38/456
	140	8,3	11406	12,7	11451	12	38/456
	160	9,5	11407	14,6	11452	12	20/240
	180	10,7	11408	16,4	11453	12	17/204
	200	11,9	11409	18,2	11454	12	14/168
	225	13,4	11410	20,5	11455	12	11/132
	250	14,8	11411	22,7	11456	12	11/132
	280	16,6	12061	25,4	12069	12	4/48
	315	18,7	12062	28,6	12070	12	3/36
	355	21,1	12063	32,2	12071	12	3/36
	400	23,7	12064	36,3	12072	12	3/36
	450	26,7	12065	40,9	12073	12	2/24
	500	29,7	12066	45,4	12074	12	2/24
	560	33,2	12067	50,8	12075	12	2/24
630	37,4	12068	57,2	12076	12	2/24	

*Pipes for water supply systems - PE 100-RC - TT-RC - type 3

Three-layer (both external layer: blue, black middle layer)

		SDR-17		SDR-11			
	∅ ext.	∇ wall thickness	☒ index	∇ wall thickness	☒ index	bar length	bulk packaging
BARS	90	5,4	11412	8,2	11457	12	32/384
	110	6,6	11413	10,0	11458	12	26/312
	125	7,4	11414	11,4	11459	12	38/456
	140	8,3	11415	12,7	11460	12	38/456
	160	9,5	11416	14,6	11461	12	20/240
	180	10,7	11417	16,4	11462	12	17/204
	200	11,9	11418	18,2	11463	12	14/168
	225	13,4	11419	20,5	11464	12	11/132
	250	14,8	11420	22,7	11465	12	11/132
	280	16,6	12077	25,4	12085	12	4/48
	315	18,7	12078	28,6	12086	12	3/36
	355	21,1	12079	32,2	12087	12	3/36
	400	23,7	12080	36,3	12088	12	3/36
	450	26,7	12081	40,9	12089	12	2/24
	500	29,7	12082	45,4	12090	12	2/24
	560	33,2	12083	50,8	12091	12	2/24
630	37,4	12084	57,2	12092	12	2/24	

* product available on request at the minimum production requirement